

# uvex

PROTECTING PEOPLE

## Safety Helmets

*Lightweight safety with an advanced design*



### uvex pheos – a new dimension in protective helmets

This comfortable safety helmet has a sporty design and adapts perfectly to the shape of the head. An innovative 3D interior ensures it can be precisely fitted to the circumference of the head and that the wearing height of the helmet can be individually adjusted.

The height of the helmet can be adjusted both at the front and back enabling the optimum position of the IAS system at the back of the head. The uvex pheos safety spectacles can be fitted using a special attachment, ensuring maximum safety and the highest wearer comfort.

#### **Suspension harness position 1 and 2**

*The individual wearer level can be easily adjusted within a 10mm range at the front and back.*



#### **Rotating size adjuster**

*The variable headband enables width to be adjusted precisely to the head circumference.*



*For further information, install the QR Code Reader and photograph the code using a smartphone.*


## uvex 3D – intelligent ergonomics

*A new dimension in wearer comfort*



uvex 3D is setting new benchmarks for fit and wearer comfort: the innovative product system stands out for its perfect ergonomic design, which affords extreme flexibility for adaptation to the human anatomy.

The highest degree of functionality combined with optimum wearer comfort: uvex 3D products take individuality into account and offer a perfect fit for every situation – this is the best basis for professional and safe protective equipment.



# uvex airwing blue

*Long-lasting protection and comfort*

The tried and tested uvex airwing is now available in an environmentally friendly alternative: the helmet shell is made from top-quality bioplastics sourced from renewable raw materials.

The bioplastics version of the uvex airwing fulfils all requirements of DIN EN 397. Its low weight and adaptable interior fittings ensure outstanding comfort when worn for long periods of time.

Increased wearer comfort resulting from the light bioplastics helmet shell

Variable ventilation openings in the forehead and neck areas



Rotating size adjusters

*Bioplastics –  
the high-tech material of the future*



More than 230 million tonnes of plastic are produced globally every year. Bioplastics are an environmentally-friendly alternative and are manufactured using renewable raw materials found in plants such as the castor-oil plant.

These natural raw materials are processed into biopolymers from which the bioplastics are made. The bioplastics of today already offer a multitude of technological properties.

The application of bioplastics represents an important contribution to climate and environmental protection.



Art. no.	9764.530
Colour	gentian blue
Retail unit	25

# uvex u-cap

*A wide range for many applications*







9794.301

9794.310

## uvex u-cap premium

uvex u-cap takes nature's innovative design and combines it with comfort for your safety. The ergonomic inner shell offers complete flexibility which can perfectly adjust to any head shape and provides extra protection for the back of the head due to the low profile. The premium version boasts a sophisticated interior design consisting of four layers of shock-absorbing foam and highly absorbent fleece which are woven into a breathable mesh. The reflective piping around the brim and two main steams offer enhanced safety due to greater visibility.

**EN 812-compliant impact caps provide protection from injuries caused by hitting fixed objects. They do not provide sufficient protection against falling objects and can only be used in situations where a safety helmet is not obligatory as per EN 397.**

Art. no.	9794.300	
Version	premium armadillo-style	
	ultra comfortable lining	
Colour	anthracite	
Art. no.	9794.301	
Version	premium armadillo-style	
	ultra comfortable lining	
	short brim	
Colour	anthracite	
Art. no.	9794.310	
Version	premium u-style	
	ultra comfortable lining	
Colour	anthracite	
Art. no.	9794.311	
Version	premium u-style	
	ultra comfortable lining	
	short brim	
Colour	anthracite	

## uvex u-cap basic

The basic version of the uvex u-cap impact cap is fitted with a standard foam pad inlay.

Art. no.	9794.200
Version	basic
	foam pad inlay
Colour	anthracite



## An impressive range of features



The curved sides of the uvex u-cap provide a safe and comfortable fit when wearing ear muffs.



The strap on the back of the cap allows the wearer to individually adjust the cap to their own specifications



The reflective piping around the brim and two main steams offer enhanced safety due to greater visibility.

# uvex u-cap

## hi-viz



9794.800



9794.900

### uvex u-cap hi-viz

This version of the u-cap, available in bright yellow or orange, is the perfect addition to existing high-visibility safety clothing and conforms to EN 471. In addition to the reflective piping, it also features an adjustment strap made from reflective material – for all-round improved wearer safety and visibility.

The colours of the fabrics used conform to the requirements of EN 471.

Art. no.	9794.800
Version	premium armadillo-style ultra comfortable lining
Colour	hi-viz yellow



Art. no.	9794.900
Version	premium armadillo-style ultra comfortable lining
Colour	hi-viz orange



### Accessories

The sweatband is attached using Velcro dots and can be swapped as required.

Art. no.	9794.100
Version	absorbent material, fits all u-caps
Colour	black
Retail unit	5



The hi-viz version's adjustment strap is made from reflective material for improved wearer safety and visibility.



You can find more high-visibility safety clothing from our textreme flash range in the "work clothes/ protective clothing" section of our catalogue.

# uvex pheos

## Versatile functionality

Comfort and safety: the new, lightweight uvex pheos helmet in a sporty design offers maximum wearer comfort with its climazone ventilation ports and adjustable 3D interior fittings.

Perfect protection in every situation: the robust, rigid helmet shell maintains its shape even under lateral pressure – and fulfils the safety requirements in construction and industry.

Its functional accessory system ensures that the uvex pheos is especially versatile. Whether with a visor, safety glasses, ear muffs or a torch: the helmet can be quickly and easily adapted to suit individual requirements.



**Ventilation**  
Keep a cool head: the individually adjustable climazone ventilation.



**Spectacle cord clip**  
Secure: the clip on the uvex pheos helmet for working at heights guarantees that the full vision goggles remain firmly attached.



**Head torch**  
See everything: a torch can be attached to the adaptor in the forehead area when needed.



**Ear muffs**  
For loud environments: adapters on the sides enable the simple and secure attachment of ear muffs.

# Safety Helmets

uvex pheos B · uvex pheos B-WR · uvex pheos B-3D



Available from  
January 2012

## uvex pheos B

- Three variable air vents
- Adapter systems for uvex visors, uvex earmuffs and lamps with helmet attachment
- Conventional suspension harness for a comfortable fit

Adjustable range: 51 – 61 cm

Art. no.	Colour	Retail unit
9772.020	white	25
9772.120	yellow	25
9772.220	orange	25
9772.320	red	25
9772.520	blue	25
9772.920	black	25

## uvex pheos B-WR

- Three variable air vents
- Adapter systems for uvex visors, uvex earmuffs and lamps with helmet attachment
- Suspension harness with rotating size adjusters for individual width adjustment

Adjustable range: 52 – 61 cm

Art. no.	Colour	Retail unit
9772.030	white	25
9772.130	yellow	25
9772.230	orange	25
9772.530	blue	25
9772.930	black	25



Available from  
January 2012

## uvex pheos B-3D

- Three variable air vents
- Adapter systems for uvex visors, uvex earmuffs and lamps with helmet attachment
- 3D suspension harness with the option of attaching the uvex-pheos safety spectacle
- Rotating size adjusters for individual width adjustment

Art. no.	Colour	Retail unit
9772.040	white	25
9772.140	yellow	25
9772.240	orange	25



Available from  
March 2012

# Safety Helmets

*uvex pheos B-S-WR · uvex pheos C · uvex pheos E*



Available from  
January 2012

## uvex pheos B-S-WR

- Three variable air vents
- Adapter systems for uvex visors, uvex earmuffs and lamps with helmet attachment
- Shorter brim for a wider field of upward vision
- Suspension harness with rotating size adjusters for individual width adjustment

Art. no.	Colour	Retail unit
9772.031	white	25
9772.131	yellow	25
9772.531	blue	25

Adjustable range: 52 – 61 cm

## uvex pheos C

- Helmet is closed at the front and permanently open at the back for increased ventilation
- Adapter systems for uvex visors, uvex earmuffs and lamps with helmet attachment
- Conventional suspension harness for a comfortable fit

Art. no.	Colour	Retail unit
9771.020	white	25

Adjustable range: 51 – 61 cm



Available from  
January 2012

## uvex pheos E

- Suitable for use by electricians as helmet shell is fully closed
- Tested and certified in accordance with EN 397 and EN 50365 (1000 VAC)
- Adapter systems for uvex visors, uvex earmuffs and lamps with helmet attachment
- Conventional suspension harness for a comfortable fit

Art. no.	Colour	Retail unit
9770.020	white	25
9770.120	yellow	25

Adjustable range: 51 – 61 cm



Available from  
January 2012

# Safety Helmets

## *uvex pheos alpine*



Available from  
March 2012

### uvex pheos alpine

Multifunctional helmets for working at heights and rescue operations

- Combination of industrial safety helmet features in accordance with EN 397 and the requirements of a climbing helmet
- Light ABS helmet shell offers high level of protection and durability
- The 6-point textile suspension harness ensures an optimum fit and comfort
- Side Euroslot adapters (30 mm) for attaching ear muffs
- Attachment for face protection available
- Head torches (miner's lamp) can be attached
- Clips for attaching extras with elastic band, e.g. wide vision goggles and LED climbing helmet torch

Art. no.	Colour	Retail unit
9773.050	white	25
9773.150	yellow	25
9773.250	orange	25

# Safety Helmets

## uvex airwing B



### uvex airwing B

- Polyethylene helmet shell
- Three variable air vents
- Conventional suspension harness for a comfortable fit

Range: 51 - 61 cm

Art. no.	Colour	Retail unit
9762.020	white	25
9762.120	yellow	25
9762.220	orange	25
9762.320	red	25
9762.420	green	25
9762.520	blue	25
9762.920	black	25

### uvex airwing B-WR climazone

- Polyethylene helmet shell
- Three variable air vents
- Suspension harness with rotating size adjusters for infinite width adjustment

Art. no.	Colour	Retail unit
9762.630	lime	25

Range: 52 - 61 cm

Special colour version of this innovative range **climazone**

Helmet shell: lime  
Textile suspension harness: anthracite



### uvex airwing B-WR

- Polyethylene helmet shell
- Three variable air vents
- Suspension harness with rotating size adjusters for infinite width adjustment

Range: 52 - 61 cm

Art. no.	Colour	Retail unit
9762.030	white	25
9762.130	yellow	25
9762.230	orange	25
9762.330	red	25
9762.430	green	25
9762.530	blue	25



# Safety Helmets

## uvex airwing B · uvex airwing C



9762.431



9762.321

### uvex airwing B-S

- Polyethylene helmet shell
- Three variable air vents
- Shorter brim for a wider field of upward vision
- Conventional suspension harness for a comfortable fit

Range: 51 - 61 cm

Art. no.	Colour	Retail unit
9762.021	white	25
9762.121	yellow	25
9762.221	orange	25
9762.321	red	25
9762.421	green	25
9762.521	blue	25

### uvex airwing B-S-WR

- Polyethylene helmet shell
- Three variable air vents
- Shorter brim for a wider field of upward vision
- Suspension harness with rotating size adjusters for infinite width adjustment

Range: 52 - 61 cm

Art. no.	Colour	Retail unit
9762.031	white	25
9762.131	yellow	25
9762.231	orange	25
9762.331	red	25
9762.431	green	25
9762.531	blue	25

### uvex airwing C

- Polyethylene helmet shell
- Constant ventilation, helmet shell fully closed at front, permanently open at rear
- Conventional suspension harness for a comfortable fit

Range: 51 - 61 cm

Art. no.	Colour	Retail unit
9761.020	white	25
9761.120	yellow	25
9761.520	blue	25

### uvex airwing C-WR

- Polyethylene helmet shell
- Constant ventilation, helmet shell fully closed at front, permanently open at rear
- Suspension harness with rotating size adjusters for infinite width adjustment

Range 52 - 61 cm

Art. no.	Colour	Retail unit
9761.030	white	25
9761.130	yellow	25
9761.530	blue	25



9761.030



9761.520

# Safety Helmets

uvex airwing forest · uvex thermo boss



## airwing forestry worker set

A set specially developed for forestry work.

The helmet has three adjustable air vents, making it possible to regulate according to the temperature. For maximum comfort, the size can be adjusted with a rotating size adjuster on the suspension harness. The mesh visor, which can be locked into position, protects the wearer from foreign bodies whilst maintaining clear vision. Side ear defenders complete the safety helmet for all-round protection.

airwing forestry worker set I	
<b>Art. no.</b>	9763.232
<b>Helmet</b>	orange, with three adjustable air vents
<b>Suspension harness</b>	with rotating size adjusters for infinitely adjusting the size
<b>Ear defenders</b>	dBex 3000 H
<b>Visor</b>	Nylon mesh visor

airwing forestry worker set II	
<b>Art. no.</b>	9763.233
<b>Helmet</b>	orange, with three adjustable air vents
<b>Suspension harness</b>	with rotating size adjusters for infinitely adjusting the size
<b>Ear defenders</b>	dBex 3000 H
<b>Visor</b>	Metal mesh visor

**Note:**

*If you wish to use one of the sets above without hearing protection, you will need an additional adaptor to attach the visor (art. no. 9790.042).*

## uvex thermo boss

The thermo boss is ideal for high-temperature areas up to +150 °C. The helmet shell is made from heat-resistant polycarbonate and is suitable for use in high ambient temperatures. The helmet shell is completely sealed, ensuring that the thermo boss fulfils electrical isolation requirements according to EN 397. Weighing in at just 440 g and with a 6-point textile suspension harness, this is the lightweight option when it comes to special applications.

Range: 51 - 61 cm

Art. no.	Colour	Retail unit
9754.000	white	25
9754.100	yellow	25
9754.300	red	25



# Safety Helmets

## uvex Visors



### uvex 9790

The robust polycarbonate visor can be combined with uvex industrial safety helmets and uvex helmet ear muffs to form a comprehensive protection system.

Compatible with uvex industrial safety helmets and uvex helmet ear muffs models uvex 2H, uvex 3H and uvex 3200H.

Additional adapters (art. no. 9924.010) required for combination with helmet and visor.

**Helmet and hearing protection not included!**

Helmet bracket  
Art. no. 9790.047



Adapter for attaching without helmet ear muffs  
Art. no. 9924.010



Lens  
Art. no. 9790.048  
Material PC clear  
Specifications Class 8, against the effects of electrical arcs



### uvex 9725 · 9726 · 9727

These robust visors feature a specially developed adaptor for attachment to the side helmet slots which are made from extremely lightweight plastic. The visors can be adjusted to fit the right helmet brim using a length-adjustable adaptor and can be locked in three positions. The lenses are easily interchangeable.

The 9727.514 model features a plastic trim and fulfils the special requirements of EN 166 (protection from electrical arcs).

**The helmet is not included.**

Art. no. 9725.514  
Colour clear  
Material  
thickness 1 mm  
Specifications CA, anti-fog  
Replacement  
lens 9050.517  
Retail unit 1



Art. no. 9726.014  
Colour clear  
Material  
thickness 1 mm  
Specifications PC  
Replacement  
lens 9723.017  
Retail unit 1



Art. no. 9727.514  
Colour clear  
Material  
thickness 1,5 mm  
Specifications CA, anti-fog counteracts electrical arcs  
Replacement  
lens 9051.517  
Retail unit 1



# Safety Helmets

## Accessories



9301.544


9302.510

### Wide-vision goggles with a helmet bracket

Special adaptors have been developed to combine uvex wide-vision goggles with industrial safety helmets and uvex 2H or uvex 3H ear defenders.

**Helmet and ear defenders not included!**

ultrasonic	
Art. no.	9302.510
Specific.	reduced ventilation
Colour	grey/blue
Lens	PC clear
	supravision HC-AF
Retail unit	4




ultravision	
Art. no.	9301.544
Colour	transparent grey
Lens	CA clear
	non-fogging
Retail unit	4



Additional adaptors are needed in order to fit the ultrasonic or ultravision without ear defenders:  
Art. no. 9924.010

### Accessories for the uvex pheos and uvex airwing

3D suspension harness for uvex pheos	
Art. no.	9772.001
Specific.	2K plastic
	suspension harness with pheos spectacle clip
Retail unit	10




uvex pheos and uvex airwing interior	
Art. no.	9760.000
Specific.	approx. 75 g,
	6-point textile suspension harness with sweatband
Retail unit	10




uvex pheos and uvex airwing interior with size adjusters	
Art. no.	9760.001
Specific.	approx. 75 g
Retail unit	10




Sweatband for the uvex pheos and uvex airwing	
Art. no.	9760.005
Specific.	imitation leather
Retail unit	10



Leather chinstrap:	
Robust leather design with plastic eyelets, adjustable length	
Art. no.	9790.005
Specific.	leather/plastic eyelets
Retail unit	10



Forked chinstrap:	
Textile strap with snap fasteners for quick attachment and eyelets made from robust plastic, adjustable length, chin pad	
Art. no.	9790.007
Specific.	textile strap/plastic
Retail unit	10



### Paper caps/winter caps

Winter caps are available for cold weather and can be worn comfortably under the helmet. Site visitors can wear caps under their helmets to provide good hygiene.

Art. no.	9790.006
Specifications	paper
Retail unit	100



Art. no.	9790.010
Specifications	knitted (WIN)
Retail unit	10




Art. no.	9790.015
Sizes	S - M
Retail unit	10



Art. no.	9790.016
Sizes	L - XL
Retail unit	10



Art. no.	9790.012
Specifications	knitted (Alaska)
Retail unit	10



9790.006

9790.015  
9790.016

# Face protection

## uvex Visors

### uvex · 9705 · 9706

Lightweight and inexpensive visor made of robust plastic with integrated forehead cover. Twist ratchet enables simple and reliable adjustment to any head size. Flip-up mechanism allows the visor to be set in any position. Easy lens replacement.

Art. no.	9705.014
faceshield	
Lens	CA clear



Art. no.	9706.514
faceshield	
Lens	CA clear non-fogging



Replacement lenses:

Art. no.	9060.017
Lens	CA clear

Art. no.	9050.517
Lens	CA clear non-fogging



9705.014

9706.514

### uvex · 9707 · 9708

Robust visor with integrated forehead cover and additional protective cap made from impact-resistant polystyrene. Twist ratchet enables simple and reliable adjustment to any head size. Flip-up mechanism allows the visor to be set in any position. Easy lens replacement.

Art. no.	9707.014
faceshield	
lens	CA clear



Art. no.	9708.514
faceshield	
Lens	CA clear non-fogging



Replacement lenses:

Art. no.	9060.017
Lens	CA clear

Art. no.	9050.517
Lens	CA clear non-fogging



9707.014

9708.514

# Safety Helmets

## Overview

Art. no.	Name	Product	Colour	Retail unit	Page
9050.517		Replacement lens for visor/protective visor	clear	1 unit	15/17
9051.517		Replacement lens for visor	clear	1 unit	15
9060.017		Replacement lens for protective visor	clear	1 unit	17
9301.544	uvex ultravision	Wide-vision goggles with helmet bracket	clear lens	4 units	16
9302.510	uvex ultrasonic	Wide-vision goggles with helmet bracket	clear lens	4 units	16
9705.014		Cellulose acetate protective visor	clear	1 unit	17
9706.514		Antifog cellulose acetate protective visor	clear	1 unit	17
9707.014		Cellulose acetate protective visor	clear	1 unit	17
9708.514		Antifog cellulose acetate protective visor	clear	1 unit	17
9723.017		Replacement lens for visor	clear	1 unit	15
9725.514		Antifog cellulose acetate visor	clear	1 unit	15
9726.014		Polycarbonate visor	clear	1 unit	15
9727.514		Antifog cellulose acetate visor	clear	1 unit	15
9754.000	uvex thermo boss	Safety helmet	white	25 units	14
9754.100	uvex thermo boss	Safety helmet	yellow	25 units	14
9754.300	uvex thermo boss	Safety helmet	red	25 units	14
9760.000	uvex pheos and airwing	Suspension harness (conventional)		10 units	16
9760.001	uvex pheos and airwing	Suspension harness (for version with rotating size adjusters)		10 units	16
9760.005	uvex pheos and airwing	Sweatband (artificial leather)		10 units	16
9761.020	uvex airwing C	Safety helmet (conventional suspension harness)	white	25 units	13
9761.030	uvex airwing C-WR	Safety helmet (suspension harness with rotating size adjusters)	white	25 units	13
9761.120	uvex airwing C	Safety helmet (conventional suspension harness)	yellow	25 units	13
9761.130	uvex airwing C-WR	Safety helmet (suspension harness with rotating size adjusters)	yellow	25 units	13
9761.520	uvex airwing C	Safety helmet (conventional suspension harness)	blue	25 units	13
9761.530	uvex airwing C-WR	Safety helmet (suspension harness with rotating size adjusters)	blue	25 units	13
9762.020	uvex airwing B	Safety helmet (conventional suspension harness)	white	25 units	12
9762.021	uvex airwing B-S	Safety helmet (conventional suspension harness, shortened brim)	white	25 units	13
9762.030	uvex airwing B-WR	Safety helmet (suspension harness with rotating size adjusters)	white	25 units	12
9762.031	uvex airwing B-S-WR	Safety helmet (suspension harness with rotating size adjusters, shortened brim)	white	25 units	13
9762.120	uvex airwing B	Safety helmet (conventional suspension harness)	yellow	25 units	12
9762.121	uvex airwing B-S	Safety helmet (conventional suspension harness, shortened brim)	yellow	25 units	13
9762.130	uvex airwing B-WR	Safety helmet (suspension harness with rotating size adjusters)	yellow	25 units	12
9762.131	uvex airwing B-S-WR	Safety helmet (suspension harness with rotating size adjusters, shortened brim)	yellow	25 units	13
9762.220	uvex airwing B	Safety helmet (conventional suspension harness)	orange	25 units	12
9762.221	uvex airwing B-S	Safety helmet (conventional suspension harness, shortened brim)	orange	25 units	13
9762.230	uvex airwing B-WR	Safety helmet (suspension harness with rotating size adjusters)	orange	25 units	12
9762.231	uvex airwing B-S-WR	Safety helmet (suspension harness with rotating size adjusters, shortened brim)	orange	25 units	13
9762.320	uvex airwing B	Safety helmet (conventional suspension harness)	red	25 units	12
9762.321	uvex airwing B-S	Safety helmet (conventional suspension harness, shortened brim)	red	25 units	13
9762.330	uvex airwing B-WR	Safety helmet (suspension harness with rotating size adjusters)	red	25 units	12
9762.331	uvex airwing B-S-WR	Safety helmet (suspension harness with rotating size adjusters, shortened brim)	red	25 units	13
9762.420	uvex airwing B	Safety helmet (conventional suspension harness)	green	25 units	12
9762.421	uvex airwing B-S	Safety helmet (conventional suspension harness, shortened brim)	green	25 units	13
9762.430	uvex airwing B-WR	Safety helmet (suspension harness with rotating size adjusters)	green	25 units	12
9762.431	uvex airwing B-S-WR	Safety helmet (suspension harness with rotating size adjusters, shortened brim)	green	25 units	13
9762.520	uvex airwing B	Safety helmet (conventional suspension harness)	blue	25 units	12
9762.521	uvex airwing B-S	Safety helmet (conventional suspension harness, shortened brim)	blue	25 units	13
9762.530	uvex airwing B-WR	Safety helmet (suspension harness with rotating size adjusters)	blue	25 units	12
9762.531	uvex airwing B-S-WR	Safety helmet (suspension harness with rotating size adjusters, shortened brim)	blue	25 units	13
9762.630	uvex airwing B-WR	Safety helmet (suspension harness with rotating size adjusters)	lime	25 units	12
9762.920	uvex airwing B	Safety helmet (conventional suspension harness)	black	25 units	12
9763.232	uvex airwing B	Forestry worker set I	orange	1 set	14
9763.233	uvex airwing B	Forestry worker set II	orange	1 set	14
9764.530	uvex airwing blue	Safety helmet (suspension harness with rotating size adjusters)	gentian blue	25 units	5
9770.020	uvex pheos E	Safety helmet (conventional suspension harness)	white	25 units	10
9770.120	uvex pheos E	Safety helmet (conventional suspension harness)	yellow	25 units	10
9771.020	uvex pheos C	Safety helmet (conventional suspension harness)	white	25 units	10
9772.001	uvex pheos	Suspension harness with pheos spectacles clip		10 units	16
9772.020	uvex pheos B	Safety helmet (conventional suspension harness)	white	25 units	9
9772.030	uvex pheos B-WR	Safety helmet (suspension harness with rotating size adjusters)	white	25 units	9
9772.031	uvex pheos B-S-WR	Safety helmet (suspension harness with rotating size adjusters, shortened brim)	white	25 units	10
9772.040	uvex pheos B-3D	Safety helmet (3D suspension harness and rotating size adjusters)	white	25 units	9
9772.120	uvex pheos B	Safety helmet (conventional suspension harness)	yellow	25 units	9
9772.130	uvex pheos B-WR	Safety helmet (suspension harness with rotating size adjusters)	yellow	25 units	9
9772.131	uvex pheos B-S-WR	Safety helmet (suspension harness with rotating size adjusters, shortened brim)	yellow	25 units	10
9772.140	uvex pheos B-3D	Safety helmet (3D suspension harness and rotating size adjusters)	yellow	25 units	9
9772.220	uvex pheos B	Safety helmet (conventional suspension harness)	orange	25 units	9
9772.230	uvex pheos B-WR	Safety helmet (suspension harness with rotating size adjusters)	orange	25 units	9
9772.240	uvex pheos B-3D	Safety helmet (3D suspension harness and rotating size adjusters)	orange	25 units	9
9772.320	uvex pheos B	Safety helmet (conventional suspension harness)	red	25 units	9
9772.520	uvex pheos B	Safety helmet (conventional suspension harness)	blue	25 units	9
9772.530	uvex pheos B-WR	Safety helmet (suspension harness with rotating size adjusters)	blue	25 units	9
9772.531	uvex pheos B-S-WR	Safety helmet (suspension harness with rotating size adjusters, shortened brim)	blue	25 units	10
9772.920	uvex pheos B	Safety helmet (conventional suspension harness)	black	25 units	9
9772.930	uvex pheos B-WR	Safety helmet (suspension harness with rotating size adjusters)	black	25 units	9
9773.050	uvex pheos alpine	Safety helmet	white	25 units	11
9773.150	uvex pheos alpine	Safety helmet	yellow	25 units	11
9773.250	uvex pheos alpine	Safety helmet	orange	25 units	11
9790.005		Leather chin straps		10 units	16
9790.006		Paper cap		100 units	16
9790.007		Forked chin straps		10 units	16
9790.010		Winter cap, knitted (WIN)		10 units	16
9790.012		Winter cap, knitted (Alaska)		10 units	16
9790.015		Winter cap		10 units	16
9790.016		Winter cap		10 units	16
9790.047		Helmet bracket	black	1 unit	15
9790.048		Polycarbonate visor lens	clear	1 unit	15
9794.100		Sweatband for all u-cap models	black	5 units	7
9794.200	uvex u-cap	Basic impact cap	anthracite	1 unit	6
9794.300	uvex u-cap	Premium armadillo-style impact cap	anthracite	1 unit	6
9794.301	uvex u-cap	Premium armadillo-style impact cap with short brim	anthracite	1 unit	6
9794.310	uvex u-cap	Premium u-style impact cap	anthracite	1 unit	6
9794.311	uvex u-cap	Premium u-style impact cap with short brim	anthracite	1 unit	6
9794.800	uvex u-cap	Premium high-viz armadillo-style impact cap	hi-viz yellow	1 unit	7
9794.900	uvex u-cap	Premium high-viz armadillo-style impact cap	hi-viz orange	1 unit	7
9924.010		Adaptor		1 pair	15/16